

EXTREMEPANEL.COM | 800.977.2635

True R-Value EXTREME ROOF SYSTEMS





Not only do you get extra space at no extra cost, but the energy efficiency of Extreme's SIP Roofs is an added benefit.

Let's build better together!

EXTREME SIP ROOF ADVANTAGES:

- Design flexibility, unique spaces
- True vaulted ceilings
- Easier to control indoor environment
- Speed of construction
- True air barrier and insulation
- Structural strength
- CNC cut panels for precision fit
- Dormers easy to construct
- 15 times tighter construction than conventional roof methods
- All window/door openings are pre-cut
- Extreme has incorporated Structure Shield+ treated OSB into 100% of its wall and roof panel manufacturing.



EXTREME SIPS ADVANTAGE:



- 25-year warranty complements
 Extreme's impressive panel warranty
- Protects OSB against biological elements including fungal decay
- Ensures the long-term durability of OSB in regions where wood-boring insects are prevalent
- Structure Shield+ OSB is less expensive than pressure-treated plywood

Extreme Panels R & U-Values @ 25°F

SIP Thicknesses	R-Value	U-Value
8 1/4"	33	0.0301
10 1/4"	42	0.0238
12 1/4"	51	0.0197

Panel sizes available from 4' x 8' to 8' x 24'



EXTREME SIP ROOF SUPPORT STRUCTURES



STRUCTURAL WOOD CORPORATION



- Industrial or Architectural finishes
- · Pre-cut for easy installation
- Stain options available
- Clear spanning capabilities, sized per project
- Multiple wood species available for all applications



STARWOOD RAFTERS, INC.



- More head room
- · No bottom cord bracing
- Up to 72' wide at 10' on center spacing
- Up to 66' wide at 12' on center spacing
- Curved bottom cord
- Unique finishing opportunities



REDBUILT



- · High strength for weight ratio
- Architectural freedom
- · Commercial and light industrial applications
- 100' wide spans and greater available
- Easy to install, wood top cord for ease of panel installation







EXTREMEPANEL.COM | 800.977.2635